

16CH NVR

NVR8-16400A(1U)



8MP



MODEL		NVR8-16400A(1U)	
Video	Input	16CH Over Network	
	Output	HDMI (4K, 1080P), VGA (1080P, 1280x1024, 1024x768)	
	Decoding Format	H.265 (HEVC) / H.264	
	Decoding Capabilities	1Ch - 8MP ; 4Ch - 2MP ; 9/16Ch - D1	
Analytics	Analytics Channels	16Ch (Requires supporting IPC)	
	Supported Analytics	Smart Search, Camera Tampering, Line Crossing, Sterile Area, Object Monitoring	
	Face Recognition	Not Supported	
Audio	Input	1CH + Depends on Camera Inputs	
	Output	1CH + Depends on Camera Outputs	
	Two Way Audio	Yes	
Bandwidth	Incoming	112Mbps	
	Outgoing	112Mbps	
Record / Remote App.	Record / Main Stream	Real-Time Recording	16CH 8MP Real-Time
		8MP	480FPS (NTSC)/400FPS (PAL)
		5MP and lower	480FPS (NTSC)/400FPS (PAL)
		Master Streams over Network	Up to 16CH@Recording Resolution
	Sub Stream	Resolution	Depends on IPC
		Sub-Streams over Network	Up to Outgoing Bandwidth Capacity
	General	User Access	10 Users Online with Professional Authority Management
Playback	Recording Modes	Schedule, Manual, Motion, Sensor, Analytics	
	Applications	Provision Cam2 for iOS/Android, IE for Windows 7/8/10, Safari for Mac OS, CMS for Windows/MAC	
	Playback (Local / Remote)	16CH / 16CH	
Backup	Search Mode	Smart Search, Time-Slice, Time, Event, File Management	
	USB	2 USB 2.0 Ports	
Alarm	Backup Format	AVI/DAT	
	Input	4CH + Depends on Camera	
Storage	Output	1CH + Depends on Camera	
	HDD	2 SATA (8TB Each)	
	E-SATA	No	
PTZ	RAID	Not Supported	
	Connection	Via Network	
	Supported Controls	Pan, Tilt, Zoom, Preset, Cruise, Scan, Iris, Focus	
Network	RS-485	No	
	Ethernet	1000 Mbps (RJ-45)	
	Protocols	TCP/IP, DHCP, DDNS, NTP, SMTP, P2P, RTSP, FTP, HTTPS	
PoE	ONVIF	Yes (For IP Channels)	
	Ports	No	
	Interface	No	
	Standard	No	
	Total Power	No	
Others	Max. Power Output (Per Ch.)	No	
	Power Supply	DC12V/4A	
	Power Consumption (No HDD)	5W	
	Dimension	W375xD275xH50mm	
	Operation Temperature	0°C ~50°C	