

DS-MP1351 Mobile Intercom



Features and Functions


- Half-duplex mode.
- Powered by the connected mobile DVR.
- Low impedance, low power consumption and long transmission distance.
- Aviation plug to guarantee the stability on vehicles.
- Easy operation by pressing and holding the PTT for audio input and releasing it for audio output.
- Connectable with 4-section headset. After the external headset is connected, you can realize two-way audio with the headset directly.
- Installation and fixation with hook on the back of the intercom.
- Two-way audio with high sound quality and low noise interference.



Specifications

Model		DS-MP1351
Two-way audio parameters	Mode	Half-duplex Control via the PTT button
	Sensitivity	-36 ± 3 DB, 1000 Hz
	Impedance	2.2 KΩ
	Frequency range	100 to 20000 Hz
	Extension	Jack for 4-section headset
General	Working voltage	12 VDC (powered by mobile DVR)
	Working temperature	-20° C to +70° C (-4° F to +158° F)
Others	Cables	2-meter attached cable An extended cable (optional)
	Mounting type	Mounted with a hook on the back

Physical Interfaces



No.	Name	Description
1	Attached cable	2-meter attached spring cable after extended with a 4-pin female aviation plug on the other side for connecting to the mobile DVR via the adapter cable.
2	Headset jack	For connecting to the external 4-section headset.
3	Mic	For audio input.
4	Amplifier	For audio output.
5	PTT	For controlling audio input/output.
6	Hook	Installation bracket for fixing the mobile intercom.

Distributed by

Available Model

DS-MP1351

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Europe
T +31-23-5542770
saleseuro@hikvision.com

Hikvision France
T +33(0)1-85-330-444
info.fr@hikvision.com

Hikvision Oceania
T +61-2-8599-4233
salesau@hikvision.com

Hikvision Middle East
T +971-4-8816086
salesme@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Hong Kong
T +852-2151-1761

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Poland
T +48-22-460-01-50
poland@hikvision.com

Hikvision Canada
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision UK
T +44-1628-9021-4
support.uk@hikvision.com