

MEGAenclosures Manholes | RHI-NODE 400

This unique and revolutionary access chamber solution fully addresses all functional requirements for the deployment in telecommunications and utility infrastructure applications.

The access chambers are characterised by market leading performance in ergonomics, ease of use, load carrying capability and service life. It incorporates features which enhance the utility's ability to leverage logistical benefits and cutting-edge electronic locking technologies.

Features

- Manufactured from UV stabilised SMC 30% glass fibre, a high strength light weight compound
- One-person operation
- Corrosion & UV Resistant
- Knock-out duct entries
- Lockable lid (key optional)
- Integrated GLAM electronic locking solution (Optional)
- Integrated slack management brackets
- Slip resistant tread pattern
- Impact resistant
- No scrap values
- Modular design allows for more challenging installation requirements
- Modular flat pack solution offers a more economical transport advantage
- Dolomite compliant chambers can be ordered and certified.
- Can be utilised in existing and/or newly built routes
- Addresses specific security challenges



Application

- FTTH
- End to end underground chamber solution
- This solution manages access to critical equipment housed in the most suitable, scalable and organized means, required for utilities network infrastructure

Product Specification

Description	Value
Material	SMC – 30% glass fibre
Standard Depth	400mm
Depth with Extension	600mm
Daylight Opening	318mm
Weight	Standard - 8kg With Extension - 11kg
Load Rating	SANS 558 Light Duty 15 kN
Duct Configuration	Standard - 8 x 50mm OD With Extension - 16 x 50mm OD

Ordering Information

Product Code	Description
MEGAMEXFSM06	MEGAenclosures Manhole Standard 400

V 2021/01

