

DELL P1917S LED display 48.3 cm (19") 1280 x 1024 pixels SXGA Black

Brand : DELL Product code: 210-AJBP

Product name : P1917S

19" IPS LED (1280x1024), 5:4, 1000:1, 250 cd/m2, 6 ms, 16.7M, HDMI, 3x USB, 5.13 kg DELL P1917S. Display diagonal: 48.3 cm (19"), Display resolution: 1280 x 1024 pixels, HD type: SXGA, Display technology: LED. Display: LED. Display surface: Matt, Response time: 8 ms, Native aspect ratio: 5:4, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black







Display		Ergonomics	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Touchscreen * Display brightness (typical) Response time	48.3 cm (19") 1280 x 1024 pixels SXGA 5:4 LED IPS X 250 cd/m ² 8 ms	Panel mounting interface Cable lock slot * Height adjustment * Height adjustment Pivot Pivot angle Swivelling Swivel angle range Tilt angle range	100 x 100 mm
Display surface Screen shape * Supported graphics resolutions Contrast ratio (typical) * Contrast ratio (dynamic) Viewing angle, horizontal Viewing angle, vertical Display number of colours * SmartResponse Pixel pitch Pixel density	Matt Flat 1280 x 1024 (SXGA) 1000:1 4000000:1 178° 178° 16.78 million colours 6 ms 0.293 x 0.293 mm 86 ppi	Tilt adjustment Power Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) Power consumption (PowerSave) AC input voltage AC input frequency Input current	14 W 0.3 W 38 W 0.3 W 13 W 100 - 240 V 50 - 60 Hz 1.5 A
Horizontal scan range	86 ррг 30 - 81 kHz	Operational conditions	
Vertical scan range Viewable size, horizontal Viewable size, vertical Viewable size diagonal Colour gamut 3D	56 - 76 Hz 37.5 cm 30 cm 48 cm 84%	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	0 - 40 °C -20 - 60 °C 20 - 80% 10 - 90% 0 - 5000 m 5000 - 12192 m
Performance		Packaging content	
NVIDIA G-SYNC *	×	Stand included	✓

Performance		Packaging content	
AMD FreeSync *	×	Cables included	AC, DisplayPort, USB, VGA
Multimedia		Quick start guide	✓
Built-in speaker(s) *	×	Weight & dimensions	
Built-in camera *	×	Width (with stand)	405.6 mm
Design		Depth (with stand)	180 mm
Market positioning * Product colour * Certification Compliance industry standards	Home & office Black RoHS TCO	Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand)	499.3 mm 5.13 kg 405.6 mm 50.3 mm 334.3 mm
Ports & interfaces		Weight (without stand)	2.6 kg
Built-in USB hub * USB hub version	√ 2.2 Can 1 (2.1 Can 1)	Packaging data	
USB nub version USB upstream port type	3.2 Gen 1 (3.1 Gen 1) USB Type-B	Package weight	6.61 kg
Number of upstream ports	1 4	Sustainability	
USB Type-A downstream ports quantity		Sustainability certificates	ENERGY STAR
VGA (D-Sub) ports quantity	1	Thin Client	
DVI port	×	Thin client installed	×
HDMI ports quantity	1	Other features	
DisplayPorts quantity	1	Display	LED
Ergonomics		On/off switch	✓
VESA mounting *	√	TV tuner integrated	×

