

DELL P Series 24 Monitor - P2423

Brand : DELL Product family: P Series Product code: DELL-P2423

Product name: Dell 24 Monitor - P2423

- 61.0cm (24") WUXGA 1920 x 1200 LED IPS
- 5ms, 16:10, 300cd/m², 1000:1
- USB, VGA, DVI, HDMI, DisplayPort

61.0cm (24") WUXGA 1920 x 1200 LED IPS, 16:10, 300cd/m², 16.7M, 5ms, 178°/178°, 1000:1

DELL P Series 24 Monitor - P2423:

See everything on our 24-inch WUXGA 16:10 monitor with versatile connectivity, a three-sided ultrathin bezel and ComfortView Plus.

DELL P Series 24 Monitor - P2423. Display diagonal: 61 cm (24"), Display resolution: $1920 \times 1200 \text{ pixels}$, HD type: WUXGA, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 16:10, Viewing angle, horizontal: 178° , Viewing angle, vertical: 178° . Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black







Display diagonal * Display resolution * HD type * WUXGA Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time Anti-glare screen Screen shape * Supported video modes Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Response time (fast) Pixel density Horizontal scan range Vertical scan range Viewable size, horizontal Finance (24") 1920 x 1200 pixels HUXGA 1920 x 1200 pixels 1020 x 1200 pixels 10		
Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time Anti-glare screen Screen shape * Supported video modes Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Display number of colours * Response time (fast) Pixel density Horizontal scan range Viewable size, horizontal Viewable size, horizontal Viewable size, horizontal Fig. 1920 x 1200 pixels WUXGA NUXGA 16:10 16:10 178 189 180 300 cd/m² 5 ms 480p, 576p, 720p, 1080i, 1080p 60 60 60 60 60 61 61 61 61 61	Network	
HD type * WUXGA Native aspect ratio * 16:10 Display technology * LCD Panel type * IPS Backlight type LED Touchscreen * X Display brightness (typical) 300 cd/m² Response time 5 ms Anti-glare screen Screen shape * Flat Supported video modes 480p, 576p, 720p, 1080i, 1080p Contrast ratio (typical) * 1000:1 Maximum refresh rate * 60 Hz Viewing angle, horizontal 178° Display number of colours * 16.7 million colours Response time (fast) 8 ms Pixel pitch 0.27 x 0.27 mm Pixel density 94 ppi Horizontal scan range 56 - 76 Hz Viewable size, horizontal 51.8 cm	Wi-Fi	×
Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time Anti-glare screen Screen shape * Supported video modes Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Response time (fast) Pixel density Horizontal scan range Viewable size, horizontal 16:10 16:10 16:10 16:10 178 185 185 185 185 185 185 185	Ergonomics	
Display number of colours * 16.7 million colours Response time (fast) 8 ms Pixel pitch 0.27 x 0.27 mm Pixel density 94 ppi Horizontal scan range 30 - 83 kHz Vertical scan range 56 - 76 Hz Viewable size, horizontal 51.8 cm	VESA mounting * Panel mounting interface Cable lock slot * Height adjustment * Height adjustment Pivot Pivot angle Swivelling Swivel angle range Tilt angle range On Screen Display (OSD) Plug and Play LED indicators Tilt adjustment	✓ 100 x 100 mm ✓ ✓ 15 cm ✓ 90 - 90° ✓ -45 - 45° -5 - 21° ✓ ✓ ✓
Response time (fast) 8 ms E Pixel pitch 0.27 x 0.27 mm Pixel density 94 ppi Horizontal scan range 30 - 83 kHz Vertical scan range 56 - 76 Hz Viewable size, horizontal 51.8 cm	Power	
Viewable size diagonal 61 cm Finisplay diagonal (metric) 60.96 cm Finisplay Dynamic Range (HDR)	Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) AC input voltage AC input frequency Input current	D Not available 15 kWh 14.8 W 0.3 W 48 W 0.2 W 100 - 240 V 50 - 60 Hz 1.5 A

Display		Power	
RGB colour space	sRGB	Power supply type	Internal
Colour gamut	99%	Energy efficiency scale	A to G
Performance		Operational conditions	
NVIDIA G-SYNC *	×	Operating temperature (T-T)	0 - 40 °C
AMD FreeSync *	×	Storage temperature (T-T)	-20 - 60 °C
Low Blue Light technology	✓	Operating relative humidity (H-H)	10 - 80%
Multimedia		Storage relative humidity (H-H)	5 - 90%
Built-in speaker(s) *	×	Operating altitude	0 - 5000 m
Built-in camera *	×	Non-operating altitude	5000 - 12192 m
Design		Packaging content	
Market positioning *	Business	Stand included	√
Product colour *	Black	Cables included	AC, DisplayPort, USB, VGA
Front bezel colour	Black	Quick start guide	✓
Detachable stand	✓	Weight & dimensions	
Feet colour	Silver	Width (with stand)	531 mm
Heavy metals free	Hg (mercury)	Depth (with stand)	179.6 mm
Ports & interfaces		Height (with stand)	510.8 mm
Built-in USB hub *	1	Weight (with stand)	5.23 kg
USB upstream port type	USB Type-B	Width (without stand)	531 mm
Number of USB Type-B upstream		Depth (without stand)	53.3 mm
ports quantity	1	Height (without stand)	348.1 mm
USB Type-A downstream ports	4	Weight (without stand)	3.52 kg
quantity	·	Bezel width (side)	6.3 mm
VGA (D-Sub) ports quantity	1	Bezel width (top)	6.3 mm
DVI port	•	Bezel width (bottom)	1.78 cm
DVI-I ports quantity	1	Packaging data	
HDMI *	√	Package weight	7.71 kg
HDMI ports quantity	1	Sustainability	
HDMI version	1.4	Sustainability certificates	ENERGY STAR, RoHS, TCO
DisplayPorts quantity DisplayPort version	1.2	Doesn't contain	PVC/BFR
Headphone out *	X		I VC/DI IX
AC (power) in	7	Logistics data	
, to (porter) in	•	Harmonized System (HS) code	85285210











Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.