DELL UltraSharp 24 Monitor – U2422H

Brand : DELL   **Product family:** UltraSharp   **Product code:** DELL-U2422H

Product name : Dell
UltraSharp 24 Monitor – U2422H

- 60.47cm (23.8") Full HD 1920 x 1080 W-LED IPS
- 8ms, 16:9, 250cd/m², 1000:1
- USB, HDMI, DisplayPort
60.47cm (23.8") Full HD 1920 x 1080 W-LED IPS, 16:9, 250cd/m², 16.78M, 8ms, 1000:1

DELL UltraSharp 24 Monitor – U2422H:

Elevate your productivity on this innovative 24-inch FHD monitor that delivers wide color coverage and fast connectivity.
DELL UltraSharp 24 Monitor – U2422H. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Silver

Display

Display diagonal *	60.5 cm (23.8")		**Ports & interfaces**	
Display resolution *	1920 x 1080 pixels		DisplayPort version	1.4
HD type *	Full HD		Audio output	✔
Native aspect ratio *	16:9		**Network**	
Display technology *	LCD		Wi-Fi	✘
Panel type *	IPS		**Ergonomics**	
Backlight type	W-LED		VESA mounting *	✔
Touchscreen *	✘		Panel mounting interface	100 x 100 mm
Display brightness (typical)	250 cd/m²		Cable lock slot *	✔
Response time	8 ms		Height adjustment *	✔
Anti-glare screen	✔		Height adjustment	15 cm
Screen shape *	Flat		Pivot	✔
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080)		Pivot angle	-90 - 90°
			Swivelling	✔
			Swivel angle range	-45 - 45°
			Tilt angle range	-5 - 21°
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p		Tilt adjustment	✔
Contrast ratio (typical) *	1000:1		**Power**	
Maximum refresh rate *	60 Hz		Energy efficiency class (SDR) *	C
Viewing angle, horizontal	178°		Energy efficiency class (HDR) *	Not available
Viewing angle, vertical	178°		Energy consumption (SDR) per 1000 hours *	12 kWh
Display number of colours *	16.78 million colours		Power consumption (typical) *	11.6 W
Response time (fast)	5 ms		Power consumption (standby) *	0.3 W
Pixel pitch	0.2745 x 0.2745 mm		Power consumption (max)	63 W
Pixel density	92.53 ppi		Power consumption (off)	0.3 W
Horizontal scan range	30 - 83 kHz		Power consumption (PowerSave)	11.06 W
Vertical scan range	56 - 76 Hz		AC input voltage	100 - 240 V
Viewable size, horizontal	52.7 cm		AC input frequency	50 - 60 Hz

Display

Viewable size, vertical	29.6 cm
Viewable size diagonal	60.5 cm
Display diagonal (metric)	60.47 cm
High Dynamic Range (HDR) supported	✘
RGB colour space	sRGB
Colour gamut	100%

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✘

Multimedia

Built-in speaker(s) *	✘
Built-in camera *	✘

Design

Market positioning *	Business
Product colour *	Silver
Front bezel colour	Black
Feet colour	Silver

Ports & interfaces

Built-in USB hub *	✔
Number of upstream ports	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	3
USB Type-C downstream ports quantity	1
HDMI *	✔
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	2

Power

Input current	1.2 A
Power supply type	Internal
Energy efficiency scale	A to G

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%

Weight & dimensions

Width (with stand)	537.6 mm
Depth (with stand)	179.6 mm
Height (with stand)	496 mm
Weight (with stand)	5.27 kg
Width (without stand)	537.6 mm
Depth (without stand)	48.5 mm
Height (without stand)	310.7 mm
Weight (without stand)	3.52 kg
Bezel width (side)	5.3 mm
Bezel width (top)	5.3 mm
Bezel width (bottom)	8.95 mm

Packaging data

Package weight	7.82 kg

Logistics data

Harmonized System (HS) code	85285210

5397184504970

5704174556756