HD BASIC

Series dedicated to the installer looking for high-level cameras that make the difference in image quality.



I2-320AB-28

20M IR 2MP FIXED LENS BULLET CAMERA

Equipped with a 2.8mm fixed lens, this 2MP bullet camera is designed for short-distance surveillance systems (up to 20m) for indoor and outdoor scenarios. Featuring 4in1 technology selectable by the onscreen menu, the I2-320AB-28 is ideal for Plug & Play over existing analog infrastructure.



























MAIN FEATURES

- 2MP
- Basic Series
- 1920x1080 Resolution
- 2D-DNR
- 4 in 1 (OSD Switch AHD/TVI/CVI/CVBS + PAL/NTSC)
- IP67
- COC support





I2-320AB-28



SPECIFICATIONS	
Image Sensor	1/3" 2MP Sensor
Image Format	16:9
Effective Pixels	1920x1020
Scanning System	Progressive
Resolution	2MP: 1920x1080 AHD/TVI/CVI 1MP: 1280x720 AHD/TVI/CVI CVBS: 700TVL
FPS	25/30FPS
Min. Illumination	Color: 0.02lux @F2.0, AGC on B/W: 0lux with IR
D&N	True Day&Night-ICR
IR LED	1 LED Array (20m)
OSD Menu	Available via CoC only
CoC Support	Yes
Day & Night Mode	Ext/Auto/Day/Night
Backlight Compensation	Yes
S/N Ratio	65db
White Balance	Auto
Noise Reduction	2D-DNR
Video Output	2MP / 1MP (Selected by OSD Menu) AHD/TVI/CVI/CVBS + PAL/NTSC (Selected by OSD menu)
Privacy Mask	No
D-Effect	No
WDR	Digital
Lens (Field Of View)	2.8mm Mega-Pixel Fixed (86°)
Power	DC12V/190mA
Operation Temperature	-30°C ~ 50°C, 10% ~ 90% humidity
Protection Rate	IP67
Dimensions	142*60*65mm
Net Weight	145g



I2-320AB-28



DIMENSIONS



